

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/









				1
		•		
		•	•	
·				



ILLUSTRATIONS

of

BRITISH FUNGI


(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi," by

M. C. COOKE.



WILLIAMS AND NORGATE,
HENRIEITA STREET, COVERT GARDEN, LONDON.
SOUTH FREDERICK STREET, EDINBURGH.



ILLUSTRATIONS

OF

BRITISH FUNGI.



ILLUSTRATIONS

OF

BRITISH FUNGI

(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Sociand; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists Society; the Essex Field Club; and other Societies.

VOL. II.

London:

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1881-1883.



.






A.-AGARICUS (COLLYBIA) VENTRICOSUS. Bull.
in woods. Coed Coch 1878.

B.-AGARICUS (COLLYBIA) STEVENSONI. B. & Br.
on the ground. Glamis. Aug. 1874.

.

	·		-	
		•		
•				
•				
	-			





AGARICUS (OOLLYSIA.) NITELLINUS. Fries.
variety — with crowded gills.
Beside the road in a wood. Neatishead. 1881.

.

.

. .


•


.


·		



AGARICUS (COLLYBIA.) MUSCIGENUS. Schum.
on ground, amongst moss and grass. Kew. Aug. 1881.










AGARICUS (MYCENA.) EXCISUS. Lasch. on trunks or on the ground.

1				
1				
•				
	•			
	•			



.


-

.

•

· .





		-
	•	
	-	
•		
٠		

• .



AGARICUS (COLLYBIA.) CONFLUENS. Pors. in woods.










AGARICUS (COLLYBIA.) NUMMULARIUS. Lam. amongst leaves, twigs &c.

.

•







AGARICUS (COLLYBIA.) TENACELLUS. Pers. B.-variety STOLONIFER. in woods. Autuma.










AGARICUS (COLLYBIA.) CORACINUS. Fries. in grassy places, in woods.










AGARICUS (COLLYBIA.) PLEXIPES. Fries. in beech woods. Dinmere. Sept. 1874.












AGARICUS (COLLYBIA.) AMBUSTUS. Fries. on scorched places. Kew gardens. 1881.









1.-AGARICUS (MYCENA.) PELIANTHINUS. Fries.
in beech and oak woods.

2.-AGARICUS (MYCENA.) BALANINUS. Berk









AGARICUS (MYCENA.) PURUS. Pers.
Common in. woods.



	•			
			•	

•



AGARICUS (MYCENA.) ZEPHIRUS. Fries.
amongst pine leaves.


.

·

1

•		·			
	•				
			. ,		






AGARICUS (MYCENA) LACTEUS. Pers. in fir woods.









AGARICUS (MYCENA.) TENUIS. Bolton. in moist shady places, Sept. 1863.


		•
•		


			٦
			•
•			





AGARICUS (MYCENA.) IRIS. Berk. on pine ohips.





.

•

•


•

.


.

.

ما



AGARICUS (MYCENA.) HÆMATOPUS. Pers. on Fir stumps. Scarboro'



M.C.C.

AGARICUS (MYCENA) CRUENTUS Fries.
in fir woods, on cones &c.

!


.

.

÷


					-
				·	
			٠		
					i
•					
	-				
·					
			,		





1.-AGARICUS (MYCENA.) SANGUINOLENTUS. Fr. amongst dead leaves.


2.-AGARICUS (MYCENA.) CROCATUS. Schrad.



			1
			•
			:
		•	
			I
			,
•			
			•
	•	٠	











AGARICUS (MYCENA.) HIEMALIS. Osb. on bark, twigs, &c. Dinedor. Dec. 1871.









•



AGARICUS (TRICHOLOMA.) TERREUS. Schaeff.
var. B.-ARGYRACEUS. Bull.
in mossy pine woods.




		•
		•
		·



AGARICUS /TRICHOLOMA J CARTILAGINEUS. Bull. in grassy places.











AGARICUS (TRICHOLOMA) VIRGATUS Fries. solitary, in woods. Forres.

· .




• • · . . .



AGARICUS (TRICHOLOMA) SCHUMACHERI Fries.
amongst beech leaves. Highgate.

-


.







AGARICUS (TRICHOLOMA.) MILITARIS, Lasch. in woody places. Glamis 1874.




			i
			!



AGARICUS (TRICHOLOMA.) CINERASCENS Frees. on the ground. Coombe Woods 1863.

	•		
			İ








AGARICUS (TRICHOLOMA.) EXSCISSUS. Fries. in pastures. Cromer. May 1882.










AGARICUS (TRICHOLOMA.) PUTIDUS. Fries.
in fir woods. Coed Coch.



			•
		•	
			•
•			
-			

•

.

·


•

•



AGARICUS (CLITOCYBE.) DEALBATUS. Fries. amongst dead leaves. Dinedor 1881.










AGARICUS (OLITOCYBE) GALLINACEUS. Fries.

amongst moss. Weybridge.




	•		





AGARICUS (CLITOCYBE.) FUMOSUS. Fries. in woods.

. v







AGARICUS (CLITOCYBE.) OPACUS. With. in woods. rare.



ſ				
		-		•



AGARICUS (CLITOCYBE) GEOTROPUS Bull.
var SUBINVOLUTUS. Smith.
amongst grass by roadsides.




			_
·			
·	•		
		·	





1.-AGARICUS (PLEUROTUS.) FIMBRIATUS. Bolton.
on trunks. East Berghok. Jan. 1852
2.-AGARICUS (PLEUROTUS.) RUTHÆ. B. & Br










AGARICUS (PLEUROTUS.) PANTOLEUCUS. Pries.

blown out of a tree. Coed Coch 1881.






: : : . • •




AGARICUS (PLEUROTUS.) REVOLUTUS Kickx.
on trunks. Penzance.

:				
	-			
		·		
		•		



AGARICUS (PLEUROTUS.) REVOLUTUS Kickx.
om trunks. Penzance.



•			
•			
	•		



.


•


•



AGARICUS (TRICHOLOMA.) BUFONIUS. Pers. in pine woods.

			1
			ı
			1 1
·			
			ĺ
			1







AGARICUS (CLITOCYSE.) AGGREGATUS. Schaff. on soundust. Coed Coch. July 1882.



.

ر . .





AGARICUS (CLITOCYBE.) BELLUS. Fries.
in fir woods.

-

				-
•				:
	٠			
			•	· · · · · · · · · · · · · · · · · · ·
	•			
		•		
		·		;
-				

.




A.-AGARICUS (COLLYSIA.) VELUTIPES. Curt.
on trunks. Common.
B.-AGARICUS (COLLYSIA.) LAXIPES. Fries.



· · • •

			,




AGARICUS (MYCENA.) LINEATUS Bull.
amongst dead leaves &c.



32.

•

•





AGARICUS (MYCENA.) PSAMMICOLA B. & Br. sandy banks amongst moss.



AGARICUS (MYCENA.) RUGOSUS Fries on trunks & stumps










AGARICUS (MYCENA.) ALCALINUS Fries. on stumps. Hereford 1863.






AGARICUS (MYCENA.) STANNEUS Fries.
amongst grass.









AGARICUS (MYCENA.) COLLARIATUS Fries.
amongst grass in woods.

j




• · • · •

w.



•

.



AGARICUS (MYCENA.) SPEIREUS Fries.
on mossy trunks. Glamis.



agaricus (MYCENA.) TENELLUS Fries.
on old trunks. Caen Wood.

ſ



. . .

•





AGARICUS (MYCENA.) VULGARIS Fries.

Dinedor. Sept. 1875.



The second of th


•

₹

.

•

•



AGARICUS (MYCENA) PTERIGENUS Fries. on petioles, stems &c.

			ı
			1
			· · · · · · · · · · · · · · · · · · ·


.



۸5




AGARICUS (MYCENA.) SETOSUS Sow. on beech leaves.



AGARICUS (MYCENA., JUNCICOLA Fries. on Twigs &c.




· - - - - - -





AGARICUS (OMPHALIA.) PYXIDATUS. Bull.

Merryhill common. Nov. 1871.



		•	
	•		
		•	
•			•
•	ı		

,



AGARICUS (PLEUROTUS.) OSTREATUS. Fries. on logs. Kew Gardens. July, 1882.

• • .

33.

.


•

•

. . .



AGARICUS (PLEUROTUS.) OSTREATUS. Fries.
var. EUOSMUS. Berk.
on logs. Queen's Cottage, Kew.







AGARICUS (TRICHOLOMA.) ALBO-BRUNNEUS. Fries.

Epping Forest.





AGARICUS (TRICHOLOMA.) STANS. Fries. on the ground. Wycliffe Wood. Oct. 1882.

, •







AGARICUS (TRICHOLOMA.) IMBRICATUS. Fries. in pine woods. Glamis. Sopt. 1882.

	ļ
l.	

•

٠


.

.

.



AGARICUS (CLITOCYSE.) RIVULOSUS. var. NEPTUNEUS, Batsch. amongst grass. Llandulas.









AGARICUS (COLLYBIA.) LONGIPES. Bull. in woods. Leigh Wood, Bristol.

. •

THE STATE OF
·

•





AGARICUS (COLLYBIA.) XYLOPHILUS. Fries.
about old stumps. Black Park, Langley Sept. 1882.

			·	
į				









AGARICUS (COLLYBIA.) XANTHOPUS. Fries. amongst dead leaves. Oct. 1882.

		:
		í
	•	
		! !
		1
		1
		1







AGARICUS (COLLYBIA.) DRYOPHILUS Fr. in grassy places. Kew Gardens 1882.

. . • > ډ.

. •





AGARICUS (COLLYBIA.) COLLINUS. Scop. on grassy slopes.

. ______


• , . ,

:




AGARICUS (MYCENA.) SUDORUS. Fries.
on old stumps. Haywood Forest. Oct. 1882.

1





AGARICUS (MYCENA.) GALOPUS Fries.
on mossy ground. Neasden. Sept. 1881.



• ,

.

•

-

.



AGARICUS (MYCENA) CLAVICULARIS Fries.
amongst grass. Chingford. Oct. 1882.


.

·
.

.


.





AGARICUS (OMPHALIA) CÆSPITOSUS. Bolton. on sloping banks. Kings Lynn. Oct. 1882.








AGARICUS (OMPHALIA.) GRISEUS Fries.
amongst dead leaves &c. Epping 1882.




• :


•



AGARICUS (PLEUROTUS.) MITIS. Pers. on trunks &c. B. variety of the same.







AGARICUS (PLEUROTUS.) CHIONEUS Pers.—on leaves &c.



•

į . .

•

•

.



AGARICUS (LEPIOTA.) AMIANTHINUS Scop.




•

.

.


,

,





AGARICUS (TRICHOLOMA.) LURIDUS Schff. under firs, and in mixed woods.



• Ť .

.





AGARICUS (TRICHOLOMA.) SCALPTURATUS. Fries. on the ground. Eridge Woods. Oct. 1866.

• • .





AGARICUS (TRICHOLOMA.) SAPONACEUS. Fries. var. STIPITE SQUAMULOSO in woods. Rannoch. Sept. 1888.

. . .

•

.

• •



AGARICUS (TRICHOLOMA.) LASCIVUS. Fries. Variety ROBUSTUS in pastures. Cromer. May 1882.





			!
			i
	•		
			1
			!
			1
			:
			!
			1
			:
			a de la companya de l
			1
•			
			:
			1
			1
			!
			!
			!
			!
			!
			!
			!
			!
			!
			!
			!





AGARICUS (TRICHOLOMA.) OREINUS Fries. on heaths, and open places.











AGARICUS (TRICHOLOMA.) SUBPULVERULENTUS. Fries.
in fields & gardens. Kew Gardons 1882.







AGARICUS (TRICHOLOMA.) SUBPULVERULENTUS. Fries. in fields & gardens. Kew Gardons 1882.









AGARICUS (CLITOCYBE.) EXPALLENS Pers. in mixed woods. Glamis.



. · • • .

• • h



AGARICUS (COLLYBIA.) MACULATUS A. & S. var. IMMACULATUS on the ground. Black Park, Langley 1879.

.

• •





AGARICUS (MYCENA) GALERICULATUS. Fries. B. Terrestrial Variety on stumps and on the ground. Common.


•

• • .

. . •



AGARICUS (MYCENA) POLYGRAMMUS. Bull. on stumps. Epping.



<u>.</u>





AGARICUS /MYCENA./ TINTINABULUM Fries. on Beech trunks & stumps. Epping Forest.





•


. . • .




AGARICUS (MYCENA.) ALCALINUS. Fries. on stumps. Hayward Forest, and King's Cliffe.











AGARICUS (PLEUROTUS.) DRYINUS. Pers. on oak trunks.



• • ·




AGARICUS (PLEUROTUS.) ULMARIUS Fries.
on elm trunks.




		,		
·				
			•	





AGARICUS (PLEUROTUS.) SALIGNUS. Pers. on willow trunks.










AGARICUS (TRICHOLOMA) ALBELLUS. Fries. in woods. April- May.









AGARICUS (CLITOCYBE.) OBBATUS. Fries. in Fir woods. Ascot.

. • ; ;

•								
•								
_		•						
							•	
							•	
					•			
								ļ
•								
•								
			•					į
		•						
•			•					
	, *			-				
1								
						•		
				•				
		•						
					•			
								1





AGARICUS (CLITOCYSE.) PRUINOSUS Fries.
on rotten wood, and on the ground. Kew. Nov. Dec. 1882.

	·			
		·		
	•			
•				


• · . · . .






AGARICUS (CLITOCYBE) DIATRETUS Fries.
in pine woods. Cood Coch.










AGARICUS (CLITOCYBE.) OBSOLETUS. Batsch. Oct. Nov. 1882. amongst grass and leaves.

			1
			1
	·		

• ·





AGARICUS (OOLLY81A.) AQUOSUS. Bull. amongst moss. Pleasure grounds, Kew.

•


. • •





AGARICUS (MYCENA.) PROLIFERUS Fries.
on rotten wood. Scotland.





		t
• ·		i
		1



AGARICUS (NYCENA.) ATRO-CYANEUS. Batsch. amongst for leaves. Glamis N.B.










AGARICUS (MYCENA.) PULLATUS. Berk & Cooke.
on the ground. Chingford. Oct. 1882.

. I • .

. .





AGARICUS (MYCENA.) METATUS. Fries. on the ground. Chingford, Essex.










AGARICUS (OMPHALIA.) HYDROGRAMMUS. Fries. amongst dead leaves, Pleasure grounds, Kew.












AGARICUS (OMPHALIA.) TELMATIÆUB Berk & Cooke. (=Ag. affricatus. Berk) amongst Sphagnum. Soarbord









AGARICUS (OMPHALIA) STELLATUS. Souo.


near Hereford. Nov 1872.








AGARICUS (PLEUROTUS) ACEROSUS Fr. on the ground. Aconbury wood. 1874.











AGARICUS (PLEUROTUS) ATRO-OŒRULEUS Fries on old trunks, near Teignmouth.




• • · • -• .



AGARICUS (PLEUROTUS.) APPLICATUS Balsch. on rotten trunks.





• .




AGARICUS (ARMILLARIA) FOCALIS Fr. Minor Blackheath, Chilworth, Surrey, Oct. 4. 1882.

· . •





• •



AGARICUS (CLITOCYBE) HIRNEOLUS Fries.

amongst moss, Coed Coch, Oct. 1879.











AGARICUS (COLLYBIA) CLUSILIS Fries. amongst moss. Ascot.

		·		
·				
				·




	·	I
		1
		,
		i
		٦
		İ
		ļ




ķ

AGARICUS (MYCENA) RORIDUS Fries. on twigs, after copious rains.



· • .







AGARICUS (MYCENA) ELECTICUS Buck.
on sticks. near Bristol.



			•	
				•
				•
!				
	•			
·		•		
				•
ı				
				1
				!
		•		






AGARICUS (OMPHALIA) DEMISSUS Fries. margin of banks. Wycliffe woods, 1882.




AGARICUS (OMPHALIA) HEPATICUS Batich.
by the sulf of paths in smoods




M C.C.

AGARICUS (OMPHALIA) MURALIS Sow. on saudy banks, and walls.

				I
•				
	٠			
				!
				1
				·
		•		
			•	
				I








AGARICUS (OMPHALIA) BELLIÆ Johnst. on culms of Reed.







.

•


.


•

•




AGARICUS (OMPHALIA) INTEGRELLUS Pers. on grass, twigs, rotten wood &c.










AGARICUS (PLEUROTUS) SPONGIOSUS Fries. on stumps. Loughton, Essex. Nov. 1879.









AGARICUS (PLEUROTUS) TESSULATUS Bull. on trunks. St. James' Park.


	1
•	
i ·	






AGARICUS (PLEUROTUS) SUBPALMATUS Fries.
on Oak trunk. Morehampton 1875,












AGARICUS (PLEUROTUS) CRASPEDIUS Fries.
on rotten wood. Eastbourne 1852.

	•		
			!










AGARICUS (PLEUROTUS) CIRCINATUS Fries.
on rolling Birch stump.

;· . . .

es.










Make the second of the second











AGARICUS (PLEUROTUS) SEPTICUS Fries. on twigs. chips, and branches.










AGARICUS (PLEUROTUS) ALGIDUS Fries.
on rotting wood.




. .






AGARICUS (TRICHOLOMA) CUNEIFOLIUS. Fries. var CINEREO-RIMOSUS Batsch. amongst short grass, Kew Gardens, Oct., 1882.










AGARICUS (TRICHOLOMA) AMETHYSTINUS. Scop. in woods. Glamis 1875.




• . .

			i i
			1
. •			
		·	,
			!
			!



AGARICUS (TRICHOLOMA) HUMILIS. Fries.
A. Robust form, Kew. B. var Blandus. Berk.






			ı
	•	•	
			1
			i
·			




AGARICUS (COLLYBIA) CYANOPHÆUS Fries.
var PENGELLEYI Penzance.










AGARICUS (CLITOCYBE) VENUSTISSIMUS Fries.
amongst Larch leaves. Penicusk N.B.






	•			
				1
				l
				I



AGARICUS (COLLYBIA) PSATHYROIDES. Che. on the ground. Epping Forest, Oct., 1880,











AGARICUS (COLLYBIA) ACERVATUS Fries. on stumps. Sept. 1882.

·			
			ı
	·		
		•	


ı







AGARICUS (COLLYBIA) MACILENTUS Fries in pine woods. Corstorphine. N.B.

			1
			-
,			
			1








AGARICUS (COLLY8/A) LACERATUS Lasch on the ground. Epping Forest, 1880.


• • • -

Q






AGARICUS (COLLYBIA) TESQUORUM. Fries.
on sunny bank. Ascot.





. • · --'

				-	
					1
					i
					;
					!
					1




AGARICUS (UMPHALIA) UMBELLIFERUS. Fries.






ļ
i i
I
·




AGARICUS (OMPHALIA) ABHORRENS. B. & Br. under Yew trees. Bristol. No. 1832





. • • .





AGARICUS (OMPHALIA) PICTUS Fries
on chips, &c. in old sawpit Beeston.







.

.

•

G


-




AGARICUS (OMPHALIA) FIBULA. Bull. smongst grass, in meadows, Sc.


·• . •


• •






AGARICUS (PLEUROTUS) MUTILUS. Fries.
on grassy ground. Penzance.









AGARICUS (PLEUROTUS) RENIFORMIS. Fries. Botanic Garden Edinburgh, 1880.


.

ì . . . 1


		·	
			ı
			ı
			:



AGARICUS (AMANITA) STROBILIFORMIS Fries.
on the ground. near King's Lynn.










AGARICUS (TRICHOLOMA) MACRORHIZUS Lasch, on the ground. Kings Lynn,



	•			
			·	
i				
				İ

				I	
		·			
			٠		
·					
				1	



AGARICUS (TRICHOLOMA) PATULUS Fries.

On the ground in woods. Reigale, Surrey, Oct. 1870.

			•	
		•		
		•		
•				


i					
				-	
ı					
		-			

		٠	
			1
	٠		



AGARICUS (CLITOCYSE) ELIXUS. Sow.
On the ground. Bagley Wood, Oxford. 1865.









AGARICUS (CLITOGYBE) PARILIS Fries.

By the side of plantations, Somerset.

• . . .

		÷			
			•		
	·				
	·				
11		•			

	•		
•			
			I I



AGARICUS (COLLYBIA) DISTORTUS Fries.
on Trunks. Coed Coch. 1871.


. • •

.




AGARICUS (COLLYSIA) INGRATUS Schum. In pine woods. Largo, Fifeshire, 1872.

			I
		•	
•			



	r
	-
••	
,	
	ı
	ļ



AGARICUS (MYCENA) RUBRO-MARGINATUS Frice.
on rotten twigs &c.





			•	
		•		
			•	
	•			
	·			



AGARICUS (MYCENA) PLICOSUS Fries.
on the ground. Killin N.B.

i

. .

.


inet

. }

.

.


•






AGARICUS (MYCENA) AMICTUS Fries. Amongst moss &c. Chingford Essex.

			1
	٠		



•		
	•	
		i I



AGARICUS (OMPHALIA) MAURUS. Fries.
on lawns and in moist places. Coed Coch.



AGARICUS (OMPHALIA) OFFUCIATUS Fries.

Under beech, &c. Coed Coch.

or equipment of the second of

.

•

• • •

•			
			!



AGARICUS (OMPHALIA) STRIÆPILEUS Fries.
in grassy places.

• •









AGARICUS (OMPHALIA) PHILONOTIS Lasch.

In swampy places in fir woods.










M.C.C.

on old Trunks. Epping Forest.




.

l			



AGARICUS (PLEUROTUS) ACERINUS Fries.
on Stump. Welthamstow.



• • . . . • ,


,

•



AGARICUS (COLLYBIA) SEMITALIS Fries.


By waysides after much rain. Oct. 1882.



• •

				1
			· ·	







.

